



#1
GLOBAL
BRAND¹

MENTOR[®] SILTEX[®] MICROTEXTURED CPG[™] BREAST IMPLANTS



Own
The Day[™]

MENTOR® CPG™ BREAST IMPLANTS

MENTOR® CPG™ Breast Implants are made with a proprietary formulated highly cohesive gel that is designed to shape the breast and help create a desirable look with long-lasting shape retention.²

The CPG™ Breast Implant tapered shape provides more implant projection at the lower pole, offering maximum projection where needed.³



The outcomes of the Mentor 10 year post-approval (Core) study **demonstrate that MENTOR® CPG™ Breast Implants remain safe, are effective, and provide high patient satisfaction** at 10 years post-implantation.^{3,4}

MENTOR® CPG™ Breast Implants
provide long-lasting patient satisfaction⁵

97%



of Patients would make the same decision to undergo breast implant surgery.⁵

The study includes:



955
SUBJECTS



10 YR
FOLLOW UP



43
CLINICAL
SITES

MENTOR® CPG™ Breast Implants are associated with low complication rates *as demonstrated in the 10 year, Level 2, Post-Approval Core Study Primary Augmentation Cohort*⁵

The Mentor® difference is, our Data is at 10 years

Low Rotation Rate⁵



Suspected or Confirmed Rupture⁵



Reported Double Capsule⁵



Low Incidence of Capsular Contracture⁵



Low Incidence of Wrinkling⁵



MENTOR® SILTEX® Breast Implants were designed to minimize implant rotation and malposition⁶

Mentor® Siltex® shows low rates of BIA-ALCL as compared with high-surface-area textured breast implants⁷

0% BIOFORM FORMATION was found in a recent study of SILTEX® Breast Implants at either implant-muscle or implant-ADM interface⁸

REFERENCES:

1. Based on Worldwide IES Market and Q3 2020 Market Share competitor Reported Sales, Mentor Sales Internal Estimates. Data on File.
2. Calobrace, B. The design and engineering of the MemoryShape breast implant. *Plast Reconstr Surg*. 2014 Sep;134(3 Suppl):10S- 5S.
3. Hammond DC, Canady JW, Love TR, et al. Mentor Contour Profile Gel Implants: Clinical Outcomes at 10 Years *Plastic Reconstr Surg*, 2017. *PRS Journal* Volume 140, Number 6, pp. 1142-1150.
4. Calobrace MB, Schwartz MR, Zeidler KR, Pittman TA, Cohen R, Stevens WG. Long-Term Safety of Textured and Smooth Breast Implants. *Aesthetic Surg J*. 2017;38(1):38-48. doi:10.1093/asj/sjx157.
5. Summary of the Safety and Effectiveness of Mentor's MemoryShape Mammary prosthesis in subject who are undergoing primary breast augmentation, primary Breast reconstruction or revision. MemoryShape Post-approval cohort study (formerly Contour Profile Gel Core Study) Final Clinical study report. PMAPO60028/R0215, 2015. Data on File.
6. Wixtrom R, Garadi V, Leopold J, Canady J, Device-Specific Findings of Imprinted-Texture Breast Implants; Characteristic, Risks, and benefits, *Aesthetic Surgery Journal*, 2019, 1-4.
7. Loch-Wilkinson A, Beath K, Knight RJW et al. Breast implant associated Anaplastic Large Cell Lymphoma in Australia and New Zealand - high surface area textured implants are associated with increased risk. *Plast Reconstr Surg*. 2016; Epub ahead of print.
8. Danino MA, Efanov JI, Dimitropoulos G, et al. Capsular Biofilm Formation at the Interface of Textured Expanders and Human Acellular Dermal Matrix. *Plast Reconstr Surg*. A comparative Scanning Electron Microscopy Study, *PRS Journal*, 2017, pp.919-928.

IMPORTANT SAFETY INFORMATION:

MENTOR® MemoryGel® Breast Implants are indicated for breast augmentation, in women who are at least 18 years old, or for breast reconstruction. Breast implant surgery should not be performed in those women with active infection anywhere in their body, those with existing cancer or pre-cancer of their breast(s), those who have not received adequate treatment for these conditions or those who are pregnant or nursing. There are risks associated with breast implant surgery. Breast implants are not lifetime devices and breast implantation are not necessarily a one-time surgery. The most common complications with MENTOR® MemoryGel® Breast Implants include re-operation, implant removal, capsular contracture, asymmetry, and breast pain. A lower risk of complication is implant rupture, which is most often silent. The health consequences of a ruptured silicone gel-filled breast implant have not been fully established. Screenings such as mammography, MRI, or ultrasound are recommended after initial implant surgery to assist in detecting implant rupture. Breast implants are also associated with the risk of breast implant-associated anaplastic large cell lymphoma (BIA-ALCL), an uncommon type of lymphoma. An individual's risk of developing BIA-ALCL with MENTOR® Breast Implants is low based on the incidence of worldwide cases.

Your patient needs to be informed and understand the risks and benefits of breast implants, and she should be provided with an opportunity to consult with you prior to deciding on surgery. For detailed indications, contraindications, warnings and precautions associated with the use of all MENTOR® Implantable Devices, please refer to the Product Insert Data Sheet provided with each product

191611-211007 UK

© Johnson & Johnson Medical Ltd, 2021
Johnson & Johnson Medical Ltd, Baird House, 4 Lower Gilmore Bank, Edinburgh, EH3 9QP, Scotland

MENTOR® CPG™ SILTEX® Microtextured Breast Implant Profiles, Cohesive III™

CPG™ Implants 311, Low Height/ Moderate Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 120 | 9.5 | 8.5 | 3.2 | 6.9 | 334-0951 | RSZ-0095 |
| 140 | 10.0 | 8.9 | 3.4 | 7.2 | 334-1001 | RSZ-0100 |
| 160 | 10.5 | 9.4 | 3.6 | 7.5 | 334-1051 | RSZ-0105 |
| 180 | 11.0 | 9.8 | 3.7 | 7.9 | 334-1101 | RSZ-0110 |
| 210 | 11.5 | 10.3 | 3.9 | 8.2 | 334-1151 | RSZ-0115 |
| 235 | 12.0 | 10.7 | 4.1 | 8.5 | 334-1201 | RSZ-0120 |
| 270 | 12.5 | 11.2 | 4.2 | 8.8 | 334-1251 | RSZ-0125 |
| 300 | 13.0 | 11.6 | 4.4 | 9.2 | 334-1301 | RSZ-0130 |
| 335 | 13.5 | 12.0 | 4.6 | 9.5 | 334-1351 | RSZ-0135 |
| 375 | 14.0 | 12.5 | 4.7 | 9.8 | 334-1401 | RSZ-0140 |
| 415 | 14.5 | 12.9 | 4.9 | 10.1 | 334-1451 | RSZ-0145 |
| 460 | 15.0 | 13.4 | 5.1 | 10.5 | 334-1501 | RSZ-0150 |
| 510 | 15.5 | 13.8 | 5.2 | 10.8 | 334-1551 | RSZ-0155 |
| 560 | 16.0 | 14.3 | 5.4 | 11.1 | 334-1601 | RSZ-0160 |
| 615 | 16.5 | 14.7 | 5.6 | 11.4 | 334-1651 | RSZ-0165 |

CPG™ Implants 312, Low Height/ Moderate Plus Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 125 | 9.0 | 8.0 | 3.8 | 7.2 | 334-0907 | RSZ-0907 |
| 145 | 9.5 | 8.4 | 4.0 | 7.5 | 334-0957 | RSZ-0957 |
| 170 | 10.0 | 8.8 | 4.2 | 7.9 | 334-1007 | RSZ-1007 |
| 195 | 10.5 | 9.3 | 4.4 | 8.3 | 334-1057 | RSZ-1057 |
| 225 | 11.0 | 9.7 | 4.7 | 8.6 | 334-1107 | RSZ-1107 |
| 255 | 11.5 | 10.2 | 4.9 | 9.0 | 334-1157 | RSZ-1157 |
| 290 | 12.0 | 10.6 | 5.1 | 9.3 | 334-1207 | RSZ-1207 |
| 330 | 12.5 | 11.1 | 5.3 | 9.7 | 334-1257 | RSZ-1257 |
| 370 | 13.0 | 11.5 | 5.5 | 10.0 | 334-1307 | RSZ-1307 |
| 415 | 13.5 | 11.9 | 5.7 | 10.4 | 334-1357 | RSZ-1357 |
| 465 | 14.0 | 12.4 | 5.9 | 10.8 | 334-1407 | RSZ-1407 |
| 515 | 14.5 | 12.8 | 6.1 | 11.1 | 334-1457 | RSZ-1457 |
| 570 | 15.0 | 13.3 | 6.3 | 11.5 | 334-1507 | RSZ-1507 |
| 690 | 16.0 | 14.2 | 6.8 | 12.2 | 334-1607 | RSZ-1607 |

CPG™ Implants 313, Low Height/ High Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 130 | 9.0 | 8.1 | 4.4 | 7.6 | 334-0906 | RSZ-0906 |
| 155 | 9.5 | 8.6 | 4.5 | 7.8 | 334-0956 | RSZ-0956 |
| 180 | 10.0 | 9.0 | 4.6 | 8.3 | 334-1006 | RSZ-1006 |
| 210 | 10.5 | 9.5 | 4.8 | 8.7 | 334-1056 | RSZ-1056 |
| 240 | 11.0 | 9.9 | 4.9 | 9.1 | 334-1106 | RSZ-1106 |
| 270 | 11.5 | 10.3 | 5.0 | 9.5 | 334-1156 | RSZ-1156 |
| 310 | 12.0 | 10.8 | 5.2 | 9.9 | 334-1206 | RSZ-1206 |
| 350 | 12.5 | 11.2 | 5.4 | 10.2 | 334-1256 | RSZ-1256 |
| 395 | 13.0 | 11.7 | 5.6 | 10.6 | 334-1306 | RSZ-1306 |
| 440 | 13.5 | 12.2 | 5.8 | 11.0 | 334-1356 | RSZ-1356 |
| 490 | 14.0 | 12.6 | 6.1 | 11.4 | 334-1406 | RSZ-1406 |
| 545 | 14.5 | 13.1 | 6.3 | 11.7 | 334-1456 | RSZ-1456 |
| 605 | 15.0 | 13.5 | 6.6 | 12.1 | 334-1506 | RSZ-1506 |

MENTOR® CPG™ SILTEX® Microtextured Breast Implant Profiles, Cohesive III™

CPG™ Implants 321, Medium Height/ Moderate Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 120 | 9.0 | 8.5 | 3.3 | 7.0 | 354-0908 | RSZ-0908 |
| 135 | 9.5 | 8.9 | 3.5 | 7.3 | 354-0958 | RSZ-0958 |
| 155 | 10.0 | 9.4 | 3.7 | 7.7 | 354-1008 | RSZ-1008 |
| 180 | 10.5 | 9.9 | 3.8 | 8.0 | 354-1058 | RSZ-1058 |
| 215 | 11.0 | 10.3 | 3.9 | 8.2 | 354-1108 | RSZ-1108 |
| 245 | 11.5 | 10.8 | 4.0 | 8.6 | 354-1158 | RSZ-1158 |
| 280 | 12.0 | 11.3 | 4.2 | 8.9 | 354-1208 | RSZ-1208 |
| 315 | 12.5 | 11.8 | 4.4 | 9.2 | 354-1258 | RSZ-1258 |
| 355 | 13.0 | 12.2 | 4.6 | 9.6 | 354-1308 | RSZ-1308 |
| 395 | 13.5 | 12.7 | 4.7 | 9.9 | 354-1358 | RSZ-1358 |
| 440 | 14.0 | 13.2 | 4.9 | 10.3 | 354-1408 | RSZ-1408 |
| 480 | 14.5 | 13.3 | 5.0 | 10.5 | 354-1458 | RSZ-1458 |
| 530 | 15.0 | 14.1 | 5.2 | 10.9 | 354-1508 | RSZ-1508 |
| 640 | 16.0 | 15.0 | 5.6 | 11.5 | 354-1608 | RSZ-1608 |
| 775 | 17.0 | 16.0 | 5.9 | 12.2 | 354-1708 | RSZ-1708 |

CPG™ Implants 322, Medium Height/ Moderate Plus Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 140 | 9.0 | 8.5 | 3.8 | 7.6 | 334-0905 | RSZ-0905 |
| 165 | 9.5 | 8.9 | 4.0 | 8.0 | 334-0955 | RSZ-0955 |
| 195 | 10.0 | 9.4 | 4.2 | 8.4 | 334-1005 | RSZ-1005 |
| 225 | 10.5 | 9.9 | 4.4 | 8.8 | 334-1055 | RSZ-1055 |
| 255 | 11.0 | 10.3 | 4.7 | 9.2 | 334-1105 | RSZ-1105 |
| 295 | 11.5 | 10.8 | 4.9 | 9.5 | 334-1155 | RSZ-1155 |
| 330 | 12.0 | 11.3 | 5.1 | 9.9 | 334-1205 | RSZ-1205 |
| 375 | 12.5 | 11.8 | 5.3 | 10.3 | 334-1255 | RSZ-1255 |
| 420 | 13.0 | 12.2 | 5.5 | 10.7 | 334-1305 | RSZ-1305 |
| 475 | 13.5 | 12.7 | 5.7 | 11.1 | 334-1355 | RSZ-1355 |
| 525 | 14.0 | 13.2 | 5.9 | 11.4 | 334-1405 | RSZ-1405 |
| 585 | 14.5 | 13.6 | 6.1 | 11.8 | 334-1455 | RSZ-1455 |
| 650 | 15.0 | 14.1 | 6.3 | 12.2 | 334-1505 | RSZ-1505 |

CPG™ Implants 323, Medium Height/ High Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 165 | 9.0 | 8.5 | 4.6 | 8.1 | 334-0902 | RSZ-0902 |
| 195 | 9.5 | 8.9 | 4.8 | 8.5 | 334-0952 | RSZ-0952 |
| 225 | 10.0 | 9.4 | 5.1 | 8.9 | 334-1002 | RSZ-1002 |
| 260 | 10.5 | 9.9 | 5.3 | 9.3 | 334-1052 | RSZ-1052 |
| 300 | 11.0 | 10.3 | 5.6 | 9.7 | 334-1102 | RSZ-1102 |
| 345 | 11.5 | 10.8 | 5.8 | 10.1 | 334-1152 | RSZ-1152 |
| 390 | 12.0 | 11.3 | 6.0 | 10.5 | 334-1202 | RSZ-1202 |
| 440 | 12.5 | 11.8 | 6.2 | 10.9 | 334-1252 | RSZ-1252 |
| 495 | 13.0 | 12.2 | 6.5 | 11.3 | 334-1302 | RSZ-1302 |
| 555 | 13.5 | 12.7 | 6.7 | 11.8 | 334-1352 | RSZ-1352 |
| 620 | 14.0 | 13.2 | 6.9 | 12.2 | 334-1402 | RSZ-1402 |
| 685 | 14.5 | 13.6 | 7.1 | 12.6 | 334-1452 | RSZ-1452 |

MENTOR® CPG™ SILTEX® Microtextured Breast Implant Profiles, Cohesive III™

CPG™ Implants 331, Tall Height/ Moderate Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 125 | 9.0 | 9.2 | 3.2 | 7.3 | 334-0903 | RSZ-0903 |
| 150 | 9.5 | 9.7 | 3.3 | 7.7 | 334-0953 | RSZ-0953 |
| 175 | 10.0 | 10.2 | 3.4 | 8.1 | 334-1003 | RSZ-1003 |
| 200 | 10.5 | 10.7 | 3.5 | 8.4 | 334-1053 | RSZ-1053 |
| 230 | 11.0 | 11.3 | 3.6 | 8.8 | 334-1103 | RSZ-1103 |
| 265 | 11.5 | 11.8 | 3.7 | 9.1 | 334-1153 | RSZ-1153 |
| 300 | 12.0 | 12.3 | 3.9 | 9.5 | 334-1203 | RSZ-1203 |
| 340 | 12.5 | 12.8 | 4.0 | 9.9 | 334-1253 | RSZ-1253 |
| 380 | 13.0 | 13.3 | 4.1 | 10.2 | 334-1303 | RSZ-1303 |
| 425 | 13.5 | 13.8 | 4.3 | 10.6 | 334-1353 | RSZ-1353 |
| 475 | 14.0 | 14.3 | 4.5 | 11.0 | 334-1403 | RSZ-1403 |
| 530 | 14.5 | 14.8 | 4.6 | 11.3 | 334-1453 | RSZ-1453 |
| 585 | 15.0 | 15.3 | 4.8 | 11.7 | 334-1503 | RSZ-1503 |
| 645 | 15.5 | 15.9 | 5.0 | 12.1 | 334-1553 | RSZ-1553 |

CPG™ Implants 332, Tall Height/ Moderate Plus Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 145 | 9.0 | 9.4 | 3.8 | 8.1 | 334-0909 | RSZ-0909 |
| 175 | 9.5 | 9.9 | 4.0 | 8.5 | 334-0959 | RSZ-0959 |
| 205 | 10.0 | 10.4 | 4.2 | 8.9 | 334-1009 | RSZ-1009 |
| 235 | 10.5 | 10.9 | 4.4 | 9.3 | 334-1059 | RSZ-1059 |
| 270 | 11.0 | 11.5 | 4.7 | 9.7 | 334-1109 | RSZ-1109 |
| 305 | 11.5 | 12.0 | 4.9 | 10.1 | 334-1159 | RSZ-1159 |
| 350 | 12.0 | 12.5 | 5.1 | 10.5 | 334-1209 | RSZ-1209 |
| 395 | 12.5 | 13.0 | 5.3 | 10.9 | 334-1259 | RSZ-1259 |
| 445 | 13.0 | 13.5 | 5.5 | 11.3 | 334-1309 | RSZ-1309 |
| 495 | 13.5 | 14.1 | 5.7 | 11.7 | 334-1359 | RSZ-1359 |
| 555 | 14.0 | 14.6 | 5.9 | 12.1 | 334-1409 | RSZ-1409 |
| 615 | 14.5 | 15.1 | 6.1 | 12.6 | 334-1459 | RSZ-1459 |
| 680 | 15.0 | 15.6 | 6.3 | 13.0 | 334-1509 | RSZ-1509 |

CPG™ Implants 333, Tall Height/ High Projection



| Vol. (cc) | Width (cm) | Height (cm) | Proj. (cm) | Lower Pole Arc A-B cm | Catalog # | Resterilizable Gel Sizer* |
|-----------|------------|-------------|------------|-----------------------|-----------|---------------------------|
| 180 | 9.0 | 9.4 | 4.6 | 8.4 | 334-0904 | RSZ-4090 |
| 215 | 9.5 | 9.9 | 4.8 | 8.8 | 334-0954 | RSZ-4095 |
| 250 | 10.0 | 10.4 | 5.1 | 9.3 | 334-1004 | RSZ-4100 |
| 290 | 10.5 | 10.9 | 5.3 | 9.7 | 334-1054 | RSZ-4105 |
| 330 | 11.0 | 11.5 | 5.6 | 10.1 | 334-1104 | RSZ-4110 |
| 380 | 11.5 | 12.0 | 5.8 | 10.5 | 334-1154 | RSZ-4115 |
| 430 | 12.0 | 12.5 | 6.0 | 11.0 | 334-1204 | RSZ-4120 |
| 485 | 12.5 | 13.0 | 6.2 | 11.4 | 334-1254 | RSZ-4125 |
| 545 | 13.0 | 13.5 | 6.5 | 11.8 | 334-1304 | RSZ-4130 |
| 610 | 13.5 | 14.1 | 6.7 | 12.2 | 334-1354 | RSZ-4135 |
| 680 | 14.0 | 14.6 | 6.9 | 12.7 | 334-1404 | RSZ-4140 |
| 755 | 14.5 | 15.1 | 7.1 | 13.1 | 334-1454 | RSZ-4145 |